


NARMS - EB 1997

Veterinary Isolates


Fig. 20. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Diagnostic)



NARMS - EB 1997

Veterinary Isolates

Fig. 20. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Diagnostic)




⬇ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 20. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Diagnostic)




⬇ Breakpoint

NARMS - EB 1997

Veterinary Isolates


Fig. 20. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Diagnostic)



NARMS - EB 1997

Veterinary Isolates

Fig. 20. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Diagnostic)




↓ Breakpoint

NARMS - EB 1997

Veterinary Isolates


Fig. 20. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Diagnostic)



NARMS - EB 1997

Veterinary Isolates


Fig. 20. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Diagnostic)



NARMS - EB 1997

Veterinary Isolates

Fig. 20. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Diagnostic)




⬇ Breakpoint

NARMS - EB 1997

Veterinary Isolates


Fig. 20. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Diagnostic)



NARMS - EB 1997

Veterinary Isolates

Fig. 20. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Diagnostic)




⬇ Breakpoint

NARMS - EB 1997

Veterinary Isolates


Fig. 20. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Diagnostic)



NARMS - EB 1997

Veterinary Isolates

Fig. 20. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Diagnostic)




⬇ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 20. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Diagnostic)




⬇ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 20. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Diagnostic)




↓ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 20. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Diagnostic)




⬇ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 20. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Diagnostic)




⬇ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 20. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Diagnostic)



⬇ Breakpoint